

ZEON®XD

THE NEXT GENERATION PREMIUM WINCH FROM WARN.

Redesigned and retooled from the ground up, for ultimate performance and durability— ZEON XD is there for the times it just has to work, in all conditions. And with the industry's best warranty, fastest line-speed, most robust waterproof sealing, and highest pulling capacity in it's class, ZEON XD is the ultra-reliable recovery tool you can count on when you need it most.



ZEON XD is brought to you by American product designers, engineers, technicians, and assemblers.

It all comes together at our ISO quality certified factory in Oregon, where over 400 dedicated employees work together to produce the industry's most trusted winches.





ZEON XD is backed by 75 years of off-road know how.

As a pioneering brand in off-roading, WARN boasts a proven history of engineering premium off-road products. This reputation traces back to our beginning in 1948, and it endures today with the introduction of the best-in-class ZEON XD.

Tough, dependable, and built to last, the ZEON winch backed by WARN, the original American off-road brand you can rely on.



ZEON XD is for those who push the limits. It's loaded with the performance features offroaders need, and the rugged durability they want.

HIGH-PERFORMANCE, HIGH SPEED

WARN's next-generation motor and geartrain work together to deliver a blazing fast no-load line speed of up to 40 ft/min—the fastest in its class.

LOW AMPS, HIGH POWER

OEM-grade bus bars provide highly efficient electrical connections, eliminating the exposed, inefficient wiring.

DURABLE, OEM-GRADE HARDWARE

Improved corrosion resistant black fasteners along with improved, UV resistant bussbar covers meet the highest OEM specifications.

BLACK ALUMINUM FAIRLEAD

Made of forged aluminum, giving superior corrosion, impact, salt, weather, and UV-resistance for long-lasting good looks.

CONTROLS YOU CAN RELY ON

Power is nothing without control. At the heart of the control pack is the Albright electrical contactor—proven to be the most durable and reliable winch control available.

SUPERIOR GEAR TRAIN

The heavy-duty threestage planetary gear train is quieter and more efficient than ever, reducing component strain to give you improved durability.

BEST-IN-CLASS, DURABLE BRAKE

The powerful, six-segment cone brake reliably holds the full rated load, and provides superior control while winching.

LARGE-DIAMETER ALUMINUM-ALLOY DRUM

A large drum diameter reduces rope wear, and the aluminum material helps to dissipate brake heat. The patented rope anchor system is the strongest on the market, and allows for easy rope installation.

WATERPROOF CONSTRUCTION

The highest level of protection, featuring OEM-grade O-ring rubber gaskets. This new sealing delivers a longer service life and meets the most stringent IP68 submersion and IP69K spray testing.



The convertible control pack can be relocated

elsewhere for increased mounting options.



CORDED AND WIRELESS CONTROL OPTIONS

Includes a durable waterproof corded remote with 12' lead, and the HUB receiver for 100'+ range of wireless control, when paired with the WARN HUB app



and abrasion resistance. It's coated with a protective urethane coating that shields against UV, dirt and debris, helping to prevent the rope from splitting and fraying. The heat resistant red sleeve protects the first layer of rope from high winch drum temperature, and also works





ZEON XD features an industry-leading warranty, and a global network of service and support centers.

WARN sets the bar for more than just performance and style. Each ZEON XD comes with the WARN limited lifetime warranty on mechanical components and a seven-year warranty on electrical items. What's more, our commitment to serviceable product design is backed by readily available replacement parts and a global service network, guaranteeing your winch's longevity for decades to come.



ZEON XD 10-S

10,000 lb. capacity—the ideal combination of power and fast line speed. A great choice for lighter 1/2-ton pick-ups, Jeeps, and SUVs.

110010 ZEON XD 10-S with 100' of 3/8" Spydura synthetic rope

ZEON XD 12-S

12,000 lb. capacity—perfect for bigger SUVs and 3/4 or 1-ton trucks.

110012 ZEON XD 12-S with 80' of 3/8" Spydura Pro synthetic rope

ZEON XD 14-S

14,000 lb. capacity. The highest pulling capacity in its class, with the extra pulling power you need for your heavy, loaded-up truck or SUV

110014 ZEON XD 14-S with 80' of 3/8" Spydura Pro synthetic rope



FEATURES/SPECIFICATIONS

Part numbers: 110010 (ZEON XD 10-S) 110012 (ZEON XD 12-S) 110014 (ZEON 14-S)

Rated line pull (single line): ZEON XD 10-S: 10,000 lbs. (4536 kg);

ZEON XD 12-S: 12,000 lbs. (5443 kg); ZEON XD 14-S: 14,000 lbs. (6350 kg)

No load line speed: ZEON XD 10-S: 40 ft/min (12.19m/min)

ZEON XD 12-S: 31 ft/min (9.45m/min); ZEON XD 14-S: 26.1 ft/min (7.95m/min)

Rated load line speed: ZEON XD 10-S: 5 ft/min (1.52m/min)

ZEON XD 12-S: 3 ft/min (0.91m/min); ZEON 14-S: 2.1 ft/min (0.64m/min)

No load motor current: 64 Amps (ZEON XD 10-S); 67 Amps (ZEON XD 12-S); 65 Amps (ZEON 14-S)

Rated load motor current: 458 Amps (ZEON XD 10-S); 466 Amps (ZEON XD 12-S); 482 Amps (ZEON 14-S)

Motor: 12V DC, series wound (exclusive WARN high-performance design)

Electrical controls: Contactor

Wiring: Automotive OE-grade buss bars

Corrosion resistance: 408 hour salt spray

Ingress protection: IP68 submersion and IP69K spray testing (entire unit)

Remote Control: Corded remote with 12' (3.7m) lead, plus HUB Wireless Receiver

Geartrain: 3-stage planetary

Gear ratio: 141:1 (ZEON 10-S); 176:1 (ZEON 12-S); 213:1 (ZEON 14-S)

Clutch (freespooling): Rotating ring gear with stainless steel clutch lever.

Manual lever operation.

Brake: Automatic, six segment mechanical cone

Drum diameter/Length: 3.15"/9.0" (80mm/229mm)

Rope: ZEON 10-S: 3/8" x 100' (9.52mm x 30m) Spydura synthetic

ZEON 12-S and 14-S: 3/8" X 80' (9.52mm x 24.38m) Spydura Pro Synthetic

Fairlead: Black anodized, forged aluminum hawse

Recommended Battery: 650 CCA minimum for winching

Battery leads: 2 gauge, 72" (1.83m)


Finish: Satin-black powder coat

Weight: 70 lbs. (32 kg)

Final point of assembly: Warn facility in Clackamas, Oregon, USA

Warranty: Limited lifetime mechanical, 7 years electrical

DIMENSIONS



- A 23.89" (606.7mm)
- **B** 10.52" (267.2mm)
- **(** 7.78" (197.7mm)
- **(D)** 6.94" (176.3mm)
- **E** 10.0" (254.0mm)
- **(F)** 6.94" (176.3mm)
- **(G)** 3.15" (80.0mm)

Mounting bolt pattern: 10.0" x 4.5" (254 mm x 114.3 mm)